

# CLOCHODRICK STONE

*J.E. Gordon*

*OS Grid Reference: NS374613*

## Highlights

Clochodrick Stone is a notable example of a glacial erratic boulder. Historically, such features were among the first considered to require systematic documentation and conservation.

## Introduction

The Clochodrick Stone (NS 374613) is a particularly good example of a lowland glacial erratic boulder. It is located 3 km north-east of Lochwinnoch and has been described by Milne Home (1872b).

## Description

The large glacial erratic known as the Clochodrick Stone (Clach a' Druidh) (Figure 16.5) is located at an altitude of about 100 m above sea-level. It measures 6.7 m in length, 6.1 m in width, 20.6 m in circumference and stands up to 4.0 m above ground level. The rock of which it is composed is a trachytic porphyritic olivine basalt and it is crossed by a series of hematite veins. The boulder rests on lavas of slightly different composition, and it was recorded in the First Report of the Boulder Committee (Milne Home, 1872b) that bedrock of the same type as the boulder occurs in the hills two or three miles to the west and north.



*Figure 16.5: Clochodrick Stone. (Photo: J. E. Gordon.)*

## Interpretation

The Clochodrick Stone is a particularly good example of a large erratic boulder. Although erratics and erratic trains are relatively widespread in Scotland, (see for example, Milne Home, 1884; Sissons, 1967a; Shakesby, 1978; Sutherland, 1984a), the Clochodrick Stone is particularly striking in terms of its size and lowland setting. It was probably transported to its

present position by ice from the south-west Highlands moving across the Clyde Estuary. This ice moved across and around the Renfrewshire hills towards the south-east (Price, 1975; Paterson *et al.*, 1990).

The Clochodrick Stone is also of more general historical interest in the field of Earth science conservation. It is representative of a suite of features that were among the first to be considered worthy of protection. In the 1871 the Royal Society of Edinburgh established a Boulder Committee under the direction of D. Milne Home to identify all the glacial erratics in Scotland that appeared remarkable in terms of size and superficial markings and to recommend measures for their conservation (Milne Home, 1872a, 1872b). This exercise, to some extent a forerunner of the Geological Conservation Review, represents a far-sighted attempt to recognise the threats to geomorphological features and to address the need for site survey, assessment and protection. Unfortunately, and unlike the GCR, there was no contemporary legislative framework to underpin the work of the Committee and positive action was to be confined to persuading landowners not to destroy those boulders that merited preservation for further study (Milne Home, 1872a, 1872b). In all, the Committee produced ten reports, the tenth and final one providing a county by county compendium of the boulders listed in the earlier reports (Milne Home, 1884).

## Conclusions

Clochodrick Stone is a representative example of a large ice-transported (erratic) boulder. Such boulders were among the first geological features recognised to require systematic survey for conservation during the 19th century; they provide graphic evidence of former ice sheet movements, in this case from the north-west.

## Reference list

- Milne Home, D. (1872a) Scheme for the conservation of remarkable boulders in Scotland, and for the indication of their positions on maps. *Proceedings of the Royal Society of Edinburgh*, **7**, 475–88.
- Milne Home, D. (1872b) First report by the Committee on Boulders appointed by the Society. *Proceedings of the Royal Society of Edinburgh*, **7**, 703–51.
- Milne Home, D. (1884) Tenth and final report of the Boulder Committee; with Appendix, containing an abstract of the information in the nine annual reports of the Committee; and a summary of the principal points apparently established by the information so received. *Proceedings of the Royal Society of Edinburgh*, **12**, 765–926.
- Paterson, I.B., Hall, I.H.S. and Stephenson, D. (1990) Geology of the Greenock district. Memoir of the British Geological Survey, 1:50,000 Geological Sheet 30W and part of Sheet 29E (Scotland). London, HMSO, 69pp.
- Price, R.J. (1975) The glaciation of west-central Scotland – a review. *Scottish Geographical Magazine*, **91**, 134–45.
- Shakesby, R.A. (1978) Dispersal of glacial erratics from Lennoxton, Stirlingshire. *Scottish Journal of Geology*, **14**, 81–6.
- Sissons, J.B. (1967a) *The Evolution of Scotland's Scenery*. Edinburgh, Oliver and Boyd, 259pp.
- Sutherland, D.G. (1984a) The Quaternary deposits and landforms of Scotland and the neighbouring shelves: a review. *Quaternary Science Reviews*, **3**, 157–254.